





CHOOSE PANOLUX FENCES AND CREATE A DREAMSCAPE

Harmoniously integrated into any outdoor landscape, PANOLUX's glass fences and doors will captivate with their purity and refinement.

- 1- **AESTHETICS**: Glass fences offer an elegant and modern appearance that seamlessly integrates into any environment. They preserve panoramic views, bring in natural light, and create an open and spacious ambiance.
- 2- SAFETY: Tempered glass fences are designed to provide a solid and secure barrier. Tempered glass is impact-resistant and shatters into small, non-sharp pieces in case of breakage, reducing the risk of injuries.
- **3- DURABILITY**: The glass used in the fences is treated to enhance its strength and durability. It is designed to withstand outdoor conditions such as weather, UV rays, and temperature changes while maintaining its aesthetic appeal.
- **4- EASY MAINTENANCE**: Glass fences are generally easy to maintain. They can be cleaned with standard glass cleaning products and a soft cloth. Additionally, since they are elevated above the ground, water and debris can easily drain away.
- **5- VERSATILITY**: Glass fences are suitable for various outdoor spaces, including pools, balconies, terraces, and more. They can be adapted to different styles and designs, offering a versatile solution to meet your specific needs.
- **6- ADDED VALUE**: Glass fences can add both aesthetic and functional value to your property. They enhance the visual appeal and elegance of your outdoor space, which can have a positive impact on the resale value of your home. They provide a modern and versatile solution to transform your outdoor area into a true paradise.





CLEAR TEMPERED GLASS FENCES & DOORS FOR POOLS AND BALCONIES

BALCONY PANELS

Thickness: 12 mm Height: 42 in (with spigot)

| GF40X9-12 | Balcony Panel | 12MM - 40X9" |
|------------|---------------|---------------|
| GF40X12-12 | Balcony Panel | 12MM - 40X12" |
| GF40X15-12 | Balcony Panel | 12MM - 40X15" |
| GF40X18-12 | Balcony Panel | 12MM - 40X18" |
| GF40X21-12 | Balcony Panel | 12MM - 40X21" |
| GF40X24-12 | Balcony Panel | 12MM - 40X24" |
| GF40X27-12 | Balcony Panel | 12MM - 40X27" |
| GF40X30-12 | Balcony Panel | 12MM - 40X30" |
| GF40X33-12 | Balcony Panel | 12MM - 40X33" |
| GF40X36-12 | Balcony Panel | 12MM - 40X36" |
| GF40X39-12 | Balcony Panel | 12MM - 40X39" |
| GF40X42-12 | Balcony Panel | 12MM - 40X42" |
| GF40X45-12 | Balcony Panel | 12MM - 40X45" |
| GF40X48-12 | Balcony Panel | 12MM - 40X48" |
| GF40X51-12 | Balcony Panel | 12MM - 40X51" |
| GF40X54-12 | Balcony Panel | 12MM - 40X54" |
| GF40X57-12 | Balcony Panel | 12MM - 40X57" |
| GF40X60-12 | Balcony Panel | 12MM - 40X60" |
| GF40X63-12 | Balcony Panel | 12MM - 40X63" |
| GF40X66-12 | Balcony Panel | 12MM - 40X66" |
| GF40X69-12 | Balcony Panel | 12MM - 40X69" |
| GF40X72-12 | Balcony Panel | 12MM - 40X72" |
| | | |

DOORS

Thickness: 8 mm or 12 mm Height: 48 in (with spigot) Width: 12 in, 24 in, 36 in, 48 in, 60 in or 72 in

| CF46X12T-12 | Door with holes | 12MM - 46X12" |
|-------------|-----------------|---------------|
| CF46X24T-12 | Door with holes | 12MM - 46X24" |
| GF46X36T-8 | Door with holes | 8MM - 46X36" |
| GF46X48T-12 | Door with holes | 12MM - 46X48" |
| GF46X60T-12 | Door with holes | 12MM - 46X60" |
| GF46X72T-12 | Door with holes | 12MM - 46X72" |

POOL PANELS

Thickness: 12 mm Height: 48 in (with spigot)

| GF46X9-12 | Pool Panel | 12MM - 46X9" |
|------------|------------|---------------|
| GF46X12-12 | Pool Panel | 12MM - 46X12" |
| GF46X15-12 | Pool Panel | 12MM - 46X15" |
| GF46X18-12 | Pool Panel | 12MM - 46X18" |
| GF46X21-12 | Pool Panel | 12MM - 46X21" |
| GF46X24-12 | Pool Panel | 12MM - 46X24" |
| GF46X27-12 | Pool Panel | 12MM - 46X27" |
| GF46X30-12 | Pool Panel | 12MM - 46X30" |
| GF46X33-12 | Pool Panel | 12MM - 46X33" |
| GF46X36-12 | Pool Panel | 12MM - 46X36" |
| GF46X39-12 | Pool Panel | 12MM - 46X39" |
| GF46X42-12 | Pool Panel | 12MM - 46X42" |
| GF46X45-12 | Pool Panel | 12MM - 46X45" |
| GF46X48-12 | Pool Panel | 12MM - 46X48" |
| GF46X51-12 | Pool Panel | 12MM - 46X51" |
| GF46X54-12 | Pool Panel | 12MM - 46X54" |
| GF46X57-12 | Pool Panel | 12MM - 46X57" |
| GF46X60-12 | Pool Panel | 12MM - 46X60" |
| GF46X63-12 | Pool Panel | 12MM - 46X63" |
| GF46X66-12 | Pool Panel | 12MM - 46X66" |
| GF46X69-12 | Pool Panel | 12MM - 46X69" |
| GF46X72-12 | Pool Panel | 12MM - 46X72" |





316L & DUPLEX 2205 STAINLESS STEEL HEAVY DUTY ACCESSORIES

In addition to our certified tempered glass fences, we offer a complete range of accessories in 316L and Duplex 2205 stainless steel, available with a brushed satin or black powder coated.



Duplex 2205 Stainless Steel Square Spigot 1.2kg – 12mm

- GFSBPS-4/SATIN
- GFSBPS-BLK/BLACK



316L Stainless Steel 8in H Spigot 1.8kg – 12mm

- GFSBPS-8P/SATIN
- GFSBPS-8P-BLK/BLACK



Duplex 2205 Stainless Steel Square Spigot V2 1.2kg

- GFSBPS-4-V2/SATIN
- GFSBPS-BLK-V2/BLACK



316L Stainless Steel 8in H Spigot V2 1.8kg

- GFSBPS-8P-V2/SATIN
- GFSBPS-8P-BLK-V2/BLACK



316L Stainless Steel 90 degrees Glass to Wall Corner Clamp – 12mm

- GFGTWC-90 / SATIN
- GFGTWC-90-BLK/BLACK



316L Stainless Steel 180 degrees Open Clamp – 12mm

- GFGGC-100 / SATIN
- GFGGC-100-BLK / BLACK



316L Stainless Steel Glass to Glass Open Top Clamp, Adjustable Corner – 12mm

- GFCGC-5 / SATIN
- GFCGC-5-BLK/BLACK



Duplex 2205 Stainless Steel Heavy Duty Hinge, Glass to Wall – 12mm

- GFGTW-1/SATIN
- GFGTW-BLK/BLACK



316L Stainless Steel 180 degrees Glass Clamp

- GFRGC/SATIN
- GFRGC-BLK/BLACK



316L Stainless Steel Closed Top T Glass Clamp – 12mm

- GF-CT-T/SATIN
- GF-CT-T-BLK/BLACK



Duplex 2205 Stainless Steel Heavy Duty Hinge, Glass to Glass – 12mm

- GFGGH-3/SATIN
- GFGGH-BLK/BLACK



316L Stainless Steel Glass to Glass Closed Top Clamp Adjustable Corner – 12mm

- GFCGC-4/SATIN
- GFCGC-4-BLK/BLACK



316L Stainless Steel Top Rail 8 ft. Length with Gasket and Cap – 12-12.5mm

- CP-SSTR12-8F / SATIN
- CP-SSTR12-8F-BLK/BLACK



316L Stainless Steel Top Rail 6 ft. Length with Gasket and Cap – 12-12.5mm

- CP-SSTR12-6F / SATIN
- CP-SSTR12-6F-BLK/BLACK



316L Stainless Steel Square Glass to Wall Mount Clamp -12mm

- GFGTWC-SQ / SATIN
- GFGTWC-SQ-BLK/BLACK



Duplex 2205 Stainless Steel Glass to Glass Door Latch with Keys, no Holes – 8mm+12mm

- GFGGL-K-2/SATIN
- GFGGL-K-2-BLK/BLACK



Duplex 2205 Stainless Steel Glass to Wall Door Latch with Keys, no Holes – 8mm

- GFGGL-K-TW / SATIN
- GFGGL-K-TW-BLK / BLACK



316L Stainless Steel Outswing Magnetic Glass to Glass Latch for Pool and Balcony – 12mm + 8mm

- GF-LGTG-OUT / SATIN
 - GF-LGTG-OUT-BLK/BLACK



316L Stainless Steel Inswing Magnetic Class to Glass Latch for Pool and Balcony – 12mm + 8mm

- GF-LGTG-IN/SATIN
- GF-LGTG-IN-BLK/BLACK



316L Stainless Steel Door Stopper Glass Connector – 8mm

- GFSGT-2/SATIN
- GFSGT-BLK/BLACK



HEAD OFFICE

829, Industriel Blvd, Bois-des-Filion, QC, J6Z 4T3 Tel.: 514-360-1866 / Toll Free: 888-360-1866 info@fiberwood.ca